

# Adult Tobacco Survey 2

## Winter 2001-02 Survey Results

*Skamania County*

**First, I have some questions about your health. Would you say that in general your health is. . .**

n = 199

Excellent	18.0%	(± 6.1%)
Very good	42.6	(± 7.7)
Good	24.1	(± 6.7)
Fair	6.7	(± 3.6)
Or poor	8.6	(± 4.8)

**During the past 3 months, on how many days did you stay in bed for more than half the day because of illness or injury?**

n = 199

None	70.5%	(± 7.4%)
One day	7.8	(± 4.0)
More than one day	21.7	(± 6.9)

**About how long has it been since you last visited a DOCTOR for a routine checkup?**

n = 197

Within the past year (1-12 months ago)	74.5%	(± 6.8%)
Within the past two years (1-2 years ago)	14.5	(± 5.7)
More than two years ago	11.0	(± 4.6)
Never	0.0	(± 0.0)

**About how long has it been since you last visited a DENTIST for a routine checkup?**

n = 198

Within the past year (1-12 months ago)	68.9%	(± 7.1%)
Within the past two years (1-2 years ago)	11.7	(± 5.0)
More than two years ago	19.4	(± 6.0)
Never	0.0	(± 0.0)

**Next are a few questions about your health care coverage. Do you have any kind of health care coverage, including health insurance, prepaid plans such as an HMO, or government plans such as Medicare?**

n = 199

Yes	84.7%	(± 5.8%)
No	15.3	(± 5.8)

\* Estimates based on sample sizes less than 75 omitted

***Among those with health care coverage:***

**What type of health coverage do you use to pay for most of your medical care? Is it coverage through. . .**

n = 167

Your employer	43.7%	(± 8.4%)
Someone else's employer	20.1	(± 7.4)
A plan that you or someone buys on your own	9.1	(± 4.8)
Medicare	20.0	(± 6.7)
Medicaid or Medical Assistance	3.1	(± 2.7)
Other	4.0	(± 3.1)

**Are you currently. . .**

n = 200

Employed for wages	47.7%	(± 7.8%)
Self-employed	9.4	(± 4.1)
Out of work	6.4	(± 3.7)
Homemaker	10.8	(± 5.0)
Student	3.2	(± 3.7)
Retired	17.5	(± 5.9)
Or unable to work	5.0	(± 3.1)

**Now, I would like to ask you some questions about your personal history of tobacco use. Have you, even once in your life, smoked a cigarette?**

n = 200

Yes	78.9%	(± 6.6%)
No	21.1	(± 6.6)

***Among those who ever smoked a cigarette:***

**How old were you when you first tried smoking cigarettes?**

n = 156

**average:** 14.9 (± 0.8)

**Have you smoked at least 100 cigarettes in your entire life? NOTE: 5 packs=100 cigarettes**

n = 200

Yes	50.6%	(± 7.8%)
No	49.4	(± 7.8)

***Among those who ever smoked 100 cigarettes and smoked regularly:***

**How old were you when you first started smoking cigarettes fairly regularly?**

n = 98

**average:** 17.3 (± 0.8)

***Among those who ever smoked 100 cigarettes:***

**Do you now smoke cigarettes every day, some days or not at all?**

n = 102

Every day	28.2%	(± 10.0%)
Some days	3.3	(± 4.2)
Not at all	68.5	(± 10.3)

***Among every day and some day smokers:***

**On average, about how many cigarettes per day do you smoke? NOTE: 1 PACK = 20 CIGARETTES**

n = 31

\* \*

\* Estimates based on sample sizes less than 75 omitted

<b>Current cigarette smoking prevalence:</b>	n = 200
(every day or some day smokers among the whole population)	15.9% (± 5.8%)

***Among every day and some day smokers:***

<b>What brand of cigarette do you smoke most often?</b>	n = 30
Camel	* *
Marlboro	* *
Other	* *

***Among every day and some day smokers:***

<b>Is this brand menthol?</b>	n = 28
Yes	* *
No	* *

***Among every day and some day smokers:***

<b>Are you currently smoking a brand with lower levels of nicotine or tar?</b>	n = 28
Yes	* *
No	* *

**This next question asks about smokeless tobacco. Have you ever tried using smokeless tobacco, like chew, dip or snuff? IF NEEDED: Such as Copenhagen, Kodiak, Redman or Beechnut**

	n = 200
Yes	27.1% (± 7.0%)
No	72.9% (± 7.0%)

***Among those who ever used smokeless tobacco:***

<b>On how many of the past 30 days did you use smokeless tobacco products?</b>	n = 49
Zero	* *
Less than 30	* *
30 days	* *

**Current smokeless tobacco prevalence:**

	n = 200
(any use in the past 30 days among the whole population)	4.6% (± 3.4%)

**What about cigar smoking, including large cigars, cigarillos, and little cigars. How many cigars have you smoked in your life?**

	n = 200
None	60.8% (± 7.7%)
One	8.6 (± 4.4)
2-5	7.4 (± 3.5)
6-20	13.5 (± 5.6)
More than 20	9.7 (± 4.9)

***Among those who ever smoked a cigar:***

<b>On how many of the past 30 days did you smoke a cigar, even just a puff?</b>	n = 73
Zero	* *
Less than 30	* *
30 days	* *

\* Estimates based on sample sizes less than 75 omitted

<b>Current cigar smoking prevalence:</b>	n = 200
(any use in the past 30 days among the whole population)	3.9% (± 3.5%)

<b>Have you ever tried smoking tobacco in a pipe?</b>	n = 200
Yes	25.5% (± 6.8%)
No	74.5 (± 6.8)

***Among those who ever smoked a pipe:***

<b>On how many of the past 30 days did you smoke tobacco in a pipe?</b>	n = 47
Zero	* *
Less than 30	* *
30 days	* *

<b>Current pipe smoking prevalence:</b>	n = 200
(any use in the past 30 days among the whole population)	0.0% (± 0.0%)

<b>Have you ever tried smoking bidis (BEEDIES)?</b>	n = 193
Yes	2.3% (± 2.1%)
No	97.7 (± 2.1)

<b>Current bidi smoking prevalence:</b>	n = 200
(any use in the past 30 days among the whole population)	0.0% (± 0.0%)

<b>Have you ever tried smoking clove cigarettes?</b>	n = 199
Yes	15.4% (± 5.4%)
No	84.6 (± 5.4)

***Among those who ever smoked cloves:***

<b>On how many of the past 30 days did you use clove cigarettes?</b>	n = 33
Zero	* *
Less than 30	* *
30 days	* *

<b>Current clove cigarette smoking prevalence:</b>	n = 200
(any use in the past 30 days among the whole population)	1.0% (± 1.4%)

<b>Current tobacco use prevalence:</b>	n = 200
(Currently smokes cigarettes, cigars, pipes, bidis, or cloves OR uses smokeless tobacco among the whole population)	21.8% (± 6.6%)

***Among former tobacco users:***

<b>About how long has it been since you last used tobacco, that is, daily?</b>	n = 70
Within the past year (0-12 months ago)	* *
Within the past 5 years (1-5 years ago)	* *
Within the past 15 years (5-15 years ago)	* *
Or 15 or more years ago	* *
Never used regularly	* *

\* Estimates based on sample sizes less than 75 omitted

***Among current tobacco users:***

**About how much do you usually spend on tobacco products every week? IF  
NEEDED: On average, in a typical week**

n = 38

Less than \$5	*	*
\$5-9	*	*
\$10-14	*	*
\$15-24	*	*
\$25-34	*	*
\$35-44	*	*
\$45 or more	*	*

***Among current tobacco users:***

**In the past month, did you buy tobacco on a Native American reservation?**

n = 40

Yes	*	*
No	*	*

***Among current and former tobacco users:***

**These next questions ask about things that might make a person want to quit using tobacco. Do you agree or disagree with the following statement: People close to me were/are upset by my using tobacco. Do you. . .**

n = 104

Strongly agree	39.4%	(± 10.8%)
Somewhat agree	33.0	(± 10.3)
Somewhat disagree	21.4	(± 9.0)
Or strongly disagree	6.2	(± 4.5)

***Among current and former tobacco users:***

**Have any of your family or friends ever asked or advised you to quit using tobacco?**

n = 105

Yes	80.0%	(± 8.1%)
No	20.0	(± 8.1)

***Among current and former tobacco users who were ever advised to quit by family or friends:***

**When was the last time a family member or friend advised you to quit?**

n = 77

Within the past year (1-12 months)	48.3%	(± 12.8%)
Within the past three years (1-3 years)	5.1	(± 4.8)
Or 3 or more years ago	46.6	(± 12.6)

***Among current and former tobacco users:***

**Have any of the following health care professionals ever advised you to quit using tobacco. . . A doctor?**

n = 105

Yes	61.6%	(± 10.3%)
No	38.4	(± 10.3)

\* Estimates based on sample sizes less than 75 omitted

***Among current and former tobacco users:***

**Have any of the following health care professionals ever advised you to quit using tobacco. . . A dentist?**

n = 106

Yes	19.5%	(± 8.4%)
No	80.5	(± 8.4)

***Among current and former tobacco users:***

**Have any of the following health care professionals ever advised you to quit using tobacco. . . A nurse?**

n = 105

Yes	36.3%	(± 10.9%)
No	63.7	(± 10.9)

***Among current and former tobacco users:***

**Have any of the following health care professionals ever advised you to quit using tobacco. . . Another health care provider?**

n = 104

Yes	17.9%	(± 8.2%)
No	82.1	(± 8.2)

***Among current and former tobacco users who were advised by a health care professional:***

**When was the last time a health care professional of any kind advised you to quit using tobacco?**

n = 61

Within the past year (1-12 months)	*	*
Within the past three years (1-3 years)	*	*
Or 3 or more years ago	*	*
Never advised to quit by a health care professional	*	*

***Among current and former tobacco users who were advised by a health care professional:***

**Did the health care professional who advised to quit offer any help, or refer you to a source of help to quit tobacco use?**

n = 63

Yes	*	*
No	*	*

***Among current and former tobacco users:***

**How many times in your life have you seriously tried to quit using tobacco?**

n = 103

0	13.6%	(± 7.6%)
1-2	36.1	(± 10.3)
3-5	41.6	(± 11.1)
6 or more	8.6	(± 4.9)

***Among current tobacco users:***

**During the past year, did you not use tobacco for one day or longer because you were trying to quit?**

n = 40

Yes	*	*
No	*	*

\* Estimates based on sample sizes less than 75 omitted

***Among current and former (quit within in past year) tobacco users who are employed:***

**Within the past year, has your employer offered any stop-smoking programs or other programs to help employees who want to quit using tobacco?** n = 21

Yes	*	*
No	*	*

***Among current and former (quit within in past year) tobacco users with health insurance:***

**Does your health care insurance coverage pay for the cost of any help to quit using tobacco, such as a stop-smoking program or nicotine patches, pills or other medications?** n = 37

Yes	*	*
No	*	*
Don't know/Not sure	*	*

***Among current and former (quit within in past year) tobacco users:***

**Have you heard about the Washington State "Quit-Line - a telephone support service to help people quit using tobacco?** n = 48

Yes	*	*
No	*	*

***Among current tobacco users:***

**Would you like to quit using tobacco?** n = 38

Yes	*	*
No	*	*

***Among current tobacco users who would like to quit:***

**Are you seriously considering quitting tobacco use within the next 6 months?** n = 27

Yes	*	*
No	*	*

***Among current tobacco users who would like to quit in the next 6 months:***

**Are you planning to stop within the next 30 days?** n = 22

Yes	*	*
No	*	*

***Among current tobacco users:***

**Readiness to quit, from the "Stages of Change" model** n = 35

Precontemplative	*	*
Contemplative	*	*
Preparation	*	*

**Next I have some questions about you. Remember that your responses are confidential. What is your age?** n = 200

18-29	20.5%	(± 7.0%)
30-49	36.2	(± 7.3)
50+	43.4	(± 7.7)

\* Estimates based on sample sizes less than 75 omitted

**I'm going to ask about your race and ethnicity. You can have more than one answer.**

**Are you. . . White?**

n = 199

Yes	95.8%	(± 3.2%)
No	4.2	(± 3.2)

**I'm going to ask about your race and ethnicity. You can have more than one answer.**

**Are you. . . Black?**

n = 198

Yes	2.0%	(± 2.0%)
No	98.0	(± 2.0)

**I'm going to ask about your race and ethnicity. You can have more than one answer.**

**Are you. . . Asian or Pacific Islander?**

n = 199

Yes	2.1%	(± 2.6%)
No	97.9	(± 2.6)

**I'm going to ask about your race and ethnicity. You can have more than one answer.**

**Are you. . . American Indian or Alaska Native?**

n = 199

Yes	13.2%	(± 5.2%)
No	86.8	(± 5.2)

**I'm going to ask about your race and ethnicity. You can have more than one answer.**

**Are you. . . Hispanic or Latino?**

n = 199

Yes	1.8%	(± 1.5%)
No	98.2	(± 1.5)

**Are you. . .**

n = 199

Married	56.4%	(± 7.8%)
Divorced	11.0	(± 4.4)
Widowed	7.5	(± 3.7)
Separated	4.1	(± 3.0)
Never been married	19.3	(± 6.8)
Or a member of unmarried couple	1.8	(± 2.6)

**How many children under the age of 18 live in your household?**

n = 200

None	60.1%	(± 7.8%)
1	15.2	(± 6.1)
2	16.0	(± 5.9)
3 or more	8.7	(± 4.8)

**What is the highest grade or year of school you completed?**

n = 200

Some high school or less	14.7%	(± 6.1%)
Grade 12 (high school graduate or GED)	41.3	(± 7.8)
College 1-3 years (some college, technical school, community college AA)	27.5	(± 6.7)
College graduate (4 years) or beyond college	16.6	(± 5.3)

\* Estimates based on sample sizes less than 75 omitted



**Annual household income from all sources... IF NEEDED: Annual household income before taxes.**

n = 174

\$20,000 or less	31.6%	(± 7.7%)
\$20,000 to less than \$50,000	38.3	(± 8.1)
\$75,000 or more	30.1	(± 7.8)

**Gender**

n = 200

Male	42.8%	(± 7.9%)
Female	57.2	(± 7.9)

**How many people, including you, who live in your household currently smoke cigarettes, cigars, or pipes?**

n = 200

0	71.2%	(± 7.0%)
1	18.3	(± 5.6)
2	8.9	(± 4.8)
3 or more	1.6	(± 2.3)

**On how many of the past 30 days has someone, including you, smoked cigarettes, cigars, or pipes anywhere inside your home?**

n = 197

0 days	82.6%	(± 5.8%)
1-29 days	4.7	(± 2.9)
30 days	12.7	(± 5.2)

**If it were just up to you, would you let people smoke inside your home?**

n = 198

Yes	19.6%	(± 6.4%)
No	80.4	(± 6.4)

**Among those who are employed for wages (excluding self-employed):**

**How many people are employed where you work? IF NEEDED: Facilities that share your same street address**

n = 89

Less than 5	6.6%	(± 5.3%)
Between 5 and 9	14.1	(± 7.7)
Between 10 and 19	15.0	(± 8.3)
Between 20 and 99	26.3	(± 11.1)
Or 100 or more	38.0	(± 11.4)

**Among those who are employed for wages (excluding self-employed):**

**When you are at work, do you spend most of your time in an. . .**

n = 95

Office	29.1%	(± 9.6%)
Store	8.4	(± 8.5)
Restaurant	6.4	(± 5.3)
Warehouse or factory	8.5	(± 6.4)
Home	6.6	(± 6.1)
Outdoors	16.5	(± 8.8)
Car or truck	2.1	(± 3.0)
Classroom/school	2.1	(± 2.9)
Hospital	0.0	(± 0.0)
Or somewhere else (SPECIFY:)	20.5	(± 9.1)

\* Estimates based on sample sizes less than 75 omitted

***Among those who are employed for wages (excluding self-employed):***

The next questions are about secondhand smoke in your work place. Does your workplace have official rules that restrict smoking in any way?

n = 92

Yes	80.1%	(± 10.1%)
No	19.9	(± 10.1)

***Among those who are employed for wages (excluding self-employed):***

Is smoking allowed in any of the following areas at your workplace. . . Some or all indoor work areas?

n = 92

Yes	25.9%	(± 10.4%)
No	74.1	(± 10.4)

***Among those who are employed for wages (excluding self-employed):***

Is smoking allowed in any of the following areas at your workplace. . . Employee lunchrooms or lounges?

n = 92

Yes	19.7%	(± 9.7%)
No	80.3	(± 9.7)

***Among those who are employed for wages (excluding self-employed):***

Is smoking allowed in any of the following areas at your workplace. . . A designated indoor smoking area?

n = 92

Yes	20.3%	(± 9.4%)
No	79.7	(± 9.4)

***Among those who are employed for wages (excluding self-employed):***

In a typical week, how many hours would you say that you are in a room or car with secondhand smoke while you are working?

n = 93

Less than one hour	93.9%	(± 5.1%)
1-10 hours	2.4	(± 3.5)
More than 10 hours	3.7	(± 3.8)

The next questions are about secondhand smoke. Secondhand smoke is smoke from someone else's cigarette, cigar or pipe. In general, would you say that breathing secondhand smoke is. . .

n = 196

Not at all annoying to you	12.4%	(± 5.2%)
A little bit annoying to you	13.4	(± 5.8)
Somewhat annoying to you	24.5	(± 6.8)
Or very annoying to you	49.7	(± 7.9)

Would you say that breathing secondhand smoke is. . .

n = 190

Not at all harmful	71.4%	(± 7.4%)
A little bit harmful	21.0	(± 6.6)
Somewhat harmful	7.0	(± 4.3)
Or very harmful	0.6	(± 1.2)

\* Estimates based on sample sizes less than 75 omitted

**Do you agree or disagree with the following statement: All people should be protected from secondhand smoke. Do you. . .**

n = 187

Strongly agree	61.0%	(± 7.9%)
Somewhat agree	24.1	(± 7.0)
Somewhat disagree	9.1	(± 4.6)
Or strongly disagree	5.8	(± 3.3)

**What about this statement: ALL CHILDREN should be protected from secondhand smoke. Do you. . .**

n = 197

Strongly agree	82.2%	(± 5.9%)
Somewhat agree	10.8	(± 4.7)
Somewhat disagree	5.1	(± 3.6)
Or strongly disagree	1.9	(± 1.8)

**Do you think that smoking should be completely banned in restaurants?**

n = 200

Yes	69.1%	(± 7.4%)
No	29.7	(± 7.3)
Don't know/Not sure	1.2	(± 1.7)

**If there were a total ban on smoking in restaurants, do you think you would eat out more often, less often, or would it make no difference?**

n = 195

More often	19.8%	(± 6.0%)
Less often	3.8	(± 2.7)
Make no difference	76.4	(± 6.4)

**Do you think that smoking should be completely banned in bars and lounges?**

n = 199

Yes	27.4%	(± 7.0%)
No	61.3	(± 7.6)
Don't know/Not sure	11.2	(± 4.9)

**If there were a total ban on smoking in bars, do you think you would go out more often, less often, or would it make no difference?**

n = 194

More often	12.0%	(± 4.9%)
Less often	3.3	(± 2.5)
Makes no difference	84.7	(± 5.4)

**The next questions ask for your opinion about things that happen in your community. Do you agree or disagree with this statement: Laws banning possession of tobacco products by minors (children under 18) have been enforced.**

**Do you. . .**

n = 200

Strongly agree	34.4%	(± 7.5%)
Somewhat agree	30.2	(± 7.2)
Somewhat disagree	13.5	(± 5.3)
Or strongly disagree	12.4	(± 5.2)
Don't know/Not sure	9.6	(± 4.1)

\* Estimates based on sample sizes less than 75 omitted

**Generally speaking, how often do you see young people -- those under age 18 smoking in your community? Would you say. . .**

n = 194

Daily or almost daily	40.8%	(± 7.8%)
Couple of times per week	27.3	(± 7.1)
2-4 times per month	12.1	(± 5.2)
Once a month or less	15.5	(± 6.1)
Or never	4.2	(± 2.7)

**During the past year, did you, yourself, ever buy or give someone under the age of 18 tobacco products?**

n = 200

Yes	2.2%	(± 2.7%)
No	97.8	(± 2.7)

**Here is another statement: The city or town where I live has enough rules and laws to protect nonsmokers, including children, from secondhand smoke. Do you. . .**

n = 199

Strongly agree	25.5%	(± 6.8%)
Somewhat agree	34.2	(± 7.6)
Somewhat disagree	15.2	(± 5.7)
Or strongly disagree	15.1	(± 5.5)
Don't know/Not sure	10.1	(± 4.1)

**Have you seen or heard about any efforts or activities in your community or in schools to help reduce tobacco use among youth? IF NEEDED: This could include as part of your job**

n = 200

Yes	57.2%	(± 7.6%)
No	38.6	(± 7.5)
Don't know/Not sure	4.2	(± 2.9)

***Among those who have seen or heard of activities:***

**Have you participated in any efforts or activities in your community or in schools to help reduce tobacco use among youth? IF NEEDED: This could include as part of your job.**

n = 109

Yes	20.0%	(± 8.6%)
No	80.0	(± 8.6)

***Among those who have seen or heard of activities:***

**Some communities have organizations that specifically work on tobacco prevention activities. To your knowledge, has there been a local anti-tobacco or anti-smoking organization working in your community over the past few years?**

n = 109

Yes	41.8%	(± 10.9%)
No	34.9	(± 9.8)
Don't know/Not sure	23.3	(± 9.3)

\* Estimates based on sample sizes less than 75 omitted

The next questions ask for your opinion on some statements about the harm from tobacco use. Please tell me if you agree with this statement: A pregnant woman could hurt her baby if she smokes. Do you. . .

n = 191

Strongly agree	84.7%	(± 5.5%)
Somewhat agree	14.5	(± 5.4)
Somewhat disagree	0.7	(± 1.3)
Or strongly disagree	0.1	(± 0.2)

Here is another statement: It is safe to smoke for a year or two, as long as you quit after that. Do you. . .

n = 200

Strongly agree	2.0%	(± 2.0%)
Somewhat agree	10.6	(± 4.5)
Somewhat disagree	16.2	(± 6.1)
Or strongly disagree	67.5	(± 7.3)
Don't know/Not sure	3.7	(± 2.8)

There are so many things that cause cancer, tobacco use is not going to make any difference. Do you. . .

n = 194

Strongly agree	4.3%	(± 3.0%)
Somewhat agree	8.0	(± 4.5)
Somewhat disagree	11.6	(± 5.4)
Or strongly disagree	76.1	(± 7.0)

Some organizations are conducting campaigns to convince youth not to start using tobacco, and motivate adults to quit. During the past 30 days, how often have you seen commercials on TV about the dangers of tobacco use or about not smoking?

n = 200

Every day	19.3%	(± 6.8%)
Couple times per week	30.1	(± 7.3)
Once per week	6.7	(± 3.5)
Couple times per month	11.8	(± 4.6)
Maybe once	9.0	(± 4.3)
Never	17.5	(± 5.8)
Don't know/Not sure	5.5	(± 3.1)

**Among current tobacco users who saw anti-tobacco TV ads:**

Did the ad change your thinking about tobacco use to make you more in favor of quitting tobacco use, less in favor of quitting tobacco use, or did your thinking about tobacco use stay the same?

n = 30

More in favor	*	*
Less in favor	*	*
Stayed the same	*	*

\* Estimates based on sample sizes less than 75 omitted

**During the past 30 days, how often have you seen advertisements about the dangers of tobacco use or about not smoking on billboards, posters, or buses?**

n = 200

Every day	7.7%	(± 4.7%)
Couple times per week	20.5	(± 6.9)
Once per week	8.1	(± 4.0)
Couple times per month	15.3	(± 5.5)
Maybe once	10.7	(± 4.5)
Never	34.9	(± 7.3)
Don't know/Not sure	2.8	(± 2.4)

***Among those who have children and have seen anti-tobacco commercials:***

**Have you talked to your child about any of the anti-tobacco commercials or advertisements you have seen?**

n = 47

Yes	*	*
No	*	*

**Some tobacco companies make promotional items like clothing, hats, bags or other things with their brand on it. Would you ever use or wear something that has a tobacco company logo or picture on it?**

n = 196

Yes	19.9%	(± 6.6%)
No	80.1	(± 6.6)

**During the past year, have you received a free sample or coupon for a free sample of cigarettes or other tobacco products?**

n = 197

Yes	20.9%	(± 6.5%)
No	79.1	(± 6.5)

**How do you feel about this statement: Tobacco companies should have the same rights to advertise their products as other companies. Do you. . .**

n = 192

Strongly agree	15.0%	(± 5.3%)
Somewhat agree	34.8	(± 7.9)
Somewhat disagree	21.8	(± 6.7)
Or strongly disagree	28.4	(± 7.0)

***Among those with children ages 10-17 years old:***

**Have you told your child specifically that you do not want him or her to use tobacco?**

n = 37

Yes	*	*
No	*	*

\* Estimates based on sample sizes less than 75 omitted